



## MATERIAL SAFETY DATA SHEET

Product Name **Black Algae Destroyer**  
Product id 9716A  
Revision date 25/01/2007 Revision: 1

### 1. Identification of the substance & the company

**Chemical name** Trichloro-s-triazinetriene  
**Synonym(s)** Trichloroisocyanuric Acid; TCCA; Trichlor; Trichloro-s-triazinetriene; Symclosene  
**Chemical formula**  $C_3Cl_3N_3O_3$   
**Chemical family** Chloroisocyanurate  
**Molecular weight** 232.41  
**Type of product and use** For formulation into end-use products intended for disinfectants, sanitizers, fungicides, bactericides and algaecides for pools, spas, hot tubs  
**Supplier** NAVA Water Products  
95 MacCorkle Ave. SW, South Charleston, WV 25303, USA  
Tel: (304) 746-3000  
**Emergency Telephone** Chemtrec (800)424-9300  
Medical 1-800-420-9236

### 2. Composition / information on ingredients

Components CAS	Weight %	ACGIH-TLV Data	OSHA (PEL) Data
Trichloroisocyanuric Acid 87-90-1	96-100	Not determined	Not determined
Dichloroisocyanuric Acid 2782-57-2	0-4	Not determined	Not determined



## MATERIAL SAFETY DATA SHEET

Product Name **Black Algae Destroyer**  
Product id 9716A  
Revision date 25/01/2007

Revision: 1

### 3. Hazards identification

#### Emergency overview

*White granuls or tablet-form product*  
*Causes irreversible eye damage and skin burns*  
*May be fatal if inhaled*  
*May be fatal if absorbed through skin*  
*Oxidizer*

#### Potential environmental effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Potential Health Effects:

##### - Eye Contact

Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

##### - Skin contact

Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation.  
Repeated skin exposure may cause tissue destruction due to the corrosive nature of the product.

##### - Inhalation

Irritating to the nose, mouth, throat and lungs.  
It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function.  
Inhalation of high concentrations can result in permanent lung damage from the corrosive action of the lung.

##### - Ingestion

Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.  
Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

#### NFPA Ratings (Scale 0-4)

Health = 3, Fire = 0, Reactivity = 2.  
Special Hazard Warning: OXIDIZER

#### HMIS Ratings (Scale 0-4)

Health = 3, Fire = 0, Reactivity = 2.



## MATERIAL SAFETY DATA SHEET

**Product Name** Black Algae Destroyer  
**Product id** 9716A  
**Revision date** 25/01/2007

**Revision: 1**

### 4. First-aid measures

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advise.

**Skin contact** Take off contaminated clothing.  
Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.

**Inhalation** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

**Ingestion** Call poison control center, or doctor immediately for treatment advise.  
Have person sip a glass of water if able to swallow.  
Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Note to physician** Probable mucosal damage may contraindicate the use of gastric lavage.

### 5. Fire - fighting measures

**Flash point** Not applicable  
**Auto-ignition temperature** Not applicable  
**Suitable extinguishing media** Water  
**Extinguishing media not to be used** Do not use dry chemical extinguisher containing ammonia compounds.

**Fire fighting procedure** Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. Cool containers with water spray. On small fires, use water spray or fog.  
On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

**Unusual fire and explosion hazards** When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide and carbon dioxide.



## MATERIAL SAFETY DATA SHEET

**Product Name**                      **Black Algae Destroyer**  
**Product id**                            9716A  
**Revision date**                        25/01/2007

**Revision: 1**

### 6. Accidental release measures

#### Personal precautions

For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls; chemical resistant gloves; chemical resistant footwear; and chemical resistant headgear for overhead exposure.

For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material.

CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

#### Methods for cleaning up

Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

##### - Soil

Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea.

Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

##### - Water

This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.

##### - In air

Vapors may be suppressed by the use of water fog.

### 7. Handling and storage

#### Handling

Avoid bodily contact.

Do not take internally.

Upon contact with skin or eyes, wash off with water.

#### Storage

Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid").

Product has an indefinite shelf-life limitation.

Do not store at temperatures above 60°C/140°F.

Available chlorine loss can be as little as 0.1% per year at ambient temperatures.



## MATERIAL SAFETY DATA SHEET

Product Name **Black Algae Destroyer**  
Product id 9716A  
Revision date 25/01/2007

Revision: 1

### 8. Exposure controls / personal protection

**Ventilation requirements** Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs.  
Otherwise, ensure good general ventilation.

**Personal protective equipment:**

- **Respiratory protection** When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter.
- **Hand protection** Neoprene gloves
- **Eye protection** Use chemical safety glasses to avoid eye contact.  
Where industrial use occurs, chemical goggles may be required.
- **Skin and body protection** Body covering clothes and boots

**Hygiene measures** Avoid contact with skin, eyes and clothing.

### 9. Physical and chemical properties

**Appearance** White granules or tablet-form product  
**Odor** Sharp, chlorine-like, bleach odor  
**Melting point/range** 225-230°C (decomposes)  
**Boiling point/range** Not applicable (decomposes)

**Vapour pressure** Not applicable under standard conditions  
**Vapor density** Not applicable under standard conditions  
**Evaporation rate (ether=1)** Not applicable under standard conditions

**Solubility:**

- **Solubility in water** 1.2 g/100ml at 25°C

**Bulk density** Granular - 0.89-1.1 g/cc  
Tablet - 1.16-1.9 g/cc

**Specific gravity** >1  
**pH** 2.7-2.9 (1% solution)  
**Decomposition temperature** 225 °C (437°F)

### 10. Stability and reactivity

**Stability** Stable under normal conditions. Do not package in paper or cardboard.  
NOTE: Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.

**Materials to avoid** Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.

**Conditions to avoid** Heating above decomposition temperature  
**Hazardous decomposition products** Nitrogen trichloride, chlorine, nitrous oxides, cyanates, carbon monoxide, carbon dioxide.



## MATERIAL SAFETY DATA SHEET

Product Name **Black Algae Destroyer**  
Product id 9716A  
Revision date 25/01/2007

Revision: 1

Hazardous polymerization Will not occur

### 11. Toxicological information

#### Acute toxicity:

- Rat oral LD50 490 mg/kg  
- Rabbit dermal LD50 >2000 mg/kg  
- Eye irritation (rabbit) Corrosive  
- Dermal irritation (rabbit) Corrosive  
- Dermal sensitization Not a sensitizer

#### Chronic toxicity

Prolonged exposure may cause damage to the respiratory system.  
Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.

#### Mutagenicity

Not mutagenic in five Salmonella strains and one E.coli strain with or without mammalian microsomal activation.

#### Carcinogenicity

Not classified by IARC, OSHA, EPA.  
Not included in NTP 11th Report on Carcinogens.

#### Reproductive toxicity

There are no known or reported effects on reproductive function or fetal development.  
Toxicological investigation indicates it does not effect reproductive function of fetal development.

### 12. Ecological information

#### Aquatic toxicity :

- 96 Hour-LC50, Fish 0.32 mg/l (Rainbow trout)  
0.30 mg/l (bluegill sunfish)  
- 48 Hour-LC50, Daphnia magna 0.21 mg/l

#### Avian toxicity:

- Oral LD50, Mallard duck 1600 mg/kg  
- Dietary LC50, Mallard duck >10,000 ppm  
- Dietary LC50, Bobwhite quail 7422 ppm

Germany, water endangering classes (WGK) 3

### 13. Disposal considerations



## MATERIAL SAFETY DATA SHEET

Product Name **Black Algae Destroyer**  
Product id 9716A  
Revision date 25/01/2007

Revision: 1

### 13. Disposal considerations

**Waste disposal** Observe all federal, state and local environmental regulations when disposing of this material. If this product becomes waste, it will be a hazardous waste that is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly.  
Care must be taken to prevent environmental contamination from the use of this material.

### 14. Transportation information

**UN No.** 2468

**DOT** Proper shipping name: Trichloroisocyanuric Acid Dry  
Label: OXIDIZER (5.1)  
Class: 5.1 - Oxidizing substances  
Emergency Guide No.140  
Packing Group: II

**IMO** Proper shipping name: Trichloroisocyanuric Acid Dry  
Class: 5.1 - Oxidizing substances  
Label: OXIDIZING AGENT (5.1)  
Packing Group: II

**ICAO/IATA** Proper shipping name: Trichloroisocyanuric Acid Dry  
Class: 5.1  
Label: OXIDIZER (5.1)  
Packing group: II

### 15. Regulatory information

**USA** Reported in the EPA TSCA Inventory  
This product is registered under FIFRA.

**Sara (311, 312) hazard class** This product is categorized as an immediate health hazard, and fire and reactivity physical hazard This product does not contain a chemical listed at or above de minimis concentrations.

**- Massachusetts right-to-know list** Listed

**- New Jersey right-to-know list** Listed

**- Pennsylvania right to know list** Listed



## MATERIAL SAFETY DATA SHEET

---

<b>Product Name</b>	<b>Black Algae Destroyer</b>	
<b>Product id</b>	9716A	
<b>Revision date</b>	25/01/2007	<b>Revision: 1</b>

---

<b>- WASTE CLASSIFICATIONS</b>	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.
<b>- Workplace Classification</b>	This product is considered hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).
<b>Canada</b>	Listed in DSL
<b>WHMIS hazard class</b>	D2B toxic materials C oxidizing materials D1B toxic materials
<b>EU</b>	Reported in EINECS
<b>Japanese METI</b>	ENCS No: 5-1044
<b>Australia</b>	Listed in AICS
<b>China inventory</b>	Listed
<b>Korea</b>	KE-34101
<b>Philippines</b>	Listed in PICCS

### 16. Other information

The information in this Material Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Additionally, if this Material Safety Data Sheet is more than three years old, you should contact Clearon at the phone number listed below to make certain that this sheet is current.





## MATERIAL SAFETY DATA SHEET

---

**Product Name**                      **Black Algae Destroyer**  
**Product id**                            9716A  
**Revision date**                        25/01/2007

**Revision: 1**

---

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof.

Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use.

In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

*In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.*

**Prepared by**                            HEALTH, SAFETY & ENVIRONMENT DEPARTMENT  
NAVA Water Products  
95 MacCorkle Ave., S.W.  
South Charleston, WV 25303  
USA  
Phone number: (304) 746-3000

**End of safety data sheet**