

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **LEISURE TIME LEAK SEAL**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<b><u>Supplier</u></b> Leisure Time 1400 Bluegrass Lakes Parkway , Alpharetta, GA, 30004 USA	REVISION DATE: 02/23/2016 SUPERCEDES: 01/06/2016
Telephone: +17705215959 Telefax: +17705215959 Web: www.poolspacare.com	MSDS Number: 000000024521 SYNONYMS: None CHEMICAL FAMILY: None DESCRIPTION / USE: Sealant FORMULA: None established



**Manufacturer**  
Advantis Technologies  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004  
United States of America

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Acute toxicity (Oral)	:	Category 4
Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

### GHS label elements

Hazard pictograms	:	 
Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	<b>Prevention:</b> P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. P280 Wear protective gloves. <b>Response:</b> P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. <b>Storage:</b> P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. <b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
sodium silicate	1344-09-8	30 - 40

---

## SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

---

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): The product is not flammable., Not combustible., The substance or mixture is not classified as pyrophoric., Not explosive

### Flammable Properties

Flash Point:	Not applicable
Fire / Explosion Hazards:	Reacts with most metals to form flammable hydrogen gas.
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

### Spill Mitigation Procedures

Air Release:	Vapors may be suppressed by the use of water fog.
Water Release:	If the product contaminates rivers and lakes or drains inform respective authorities.completely miscible
Land Release:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with chemical or used container.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas.

## SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Ventilation beyond that of general exhaust is not normally required. No exposure limits exist for the constituents of this product.

### Protective Equipment for Routine Use of Product

Respiratory Protection :	Respiratory protection not normally needed., If vapors, mists or aerosols are generated, wear a NIOSH approved respirator., NIOSH approved half-face air purifying respirator with an N95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection :	Avoid contact with skin. Impervious gloves
Eye Protection:	Chemical resistant goggles must be worn.
Protective Clothing Type:	Impervious clothing
General Protective Measures:	Ensure that eyewash stations and safety showers are close to the workstation location.

### **Components with workplace control parameters**

no data available

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	<** Phrase does not exist: LONZA - SX0900048460 **>
Color:	<** Phrase does not exist: LONZA - SX0900048460 **>
Odor:	<** Phrase does not exist: LONZA - SX0900048460 **>
Molecular Weight:	None established
pH :	10.0 - 12.0
	()
Boiling Point:	212 °F (100 °C)
Melting point/freezing point	32 - 50 °F (0 - 10 °C)
Density	Not applicable

Bulk Density:	( ) no data available
Vapor Pressure:	32 hPa
Vapor Density:	no data available
Viscosity:	no data available
Solubility in Water:	completely miscible
Partition coefficient n-octanol/water:	no data available
Evaporation Rate:	no data available
Oxidizing:	None established
Volatiles, % by vol.:	Not applicable
VOC Content	This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Stable under normal conditions.
Conditions to Avoid:	Heat, Avoid freezing.
Chemical Incompatibility:	Acids, Metals, Alcohols
Hazardous Decomposition Products:	Hydrogen, by reaction with metals
Decomposition Temperature:	No data

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

sodium silicate                      LD50 = 1,960 mg/kg    Rat

### Component Animal Toxicology

#### Dermal LD50 value:

sodium silicate                      LD50 > 4,640 mg/kg    Rabbit

### Component Animal Toxicology

#### Inhalation LC50 value:

sodium silicate                      no data available

### Product Animal Toxicity

Oral LD50 value:                      LD50 = 1,960 mg/kg    Rat

Dermal LD50 value:                      LD50 > 4,640 mg/kg    Rabbit

Inhalation LC50 value:                      no data available

Skin Irritation:                      Severe skin irritation

Eye Irritation:	Severe eye irritation
Skin Sensitization:	This material is not known or reported to be a skin or respiratory sensitizer.
Acute Toxicity:	This product is severely irritating to skin, eyes and mucous membranes. Prolonged contact with the eyes may result in a possible corrosive effect.
Subchronic / Chronic Toxicity:	Not known or reported to cause subchronic or chronic toxicity.
Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity:	Not known or reported to be mutagenic.
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

## SECTION 12. ECOLOGICAL INFORMATION

Overview: Slightly toxic to fish and other aquatic organisms.

### Ecological Toxicity Values for: sodium silicate

Gambusia affinis (Mosquito fish)	- static test 96 h LC50 = 1,800 - 2,320 mg/l
Lepomis macrochirus (Bluegill sunfish)	- 96 h LC50 = 301 - 478 mg/l
Fish, fresh water (brachydaniorerio)	- semi-static test 96 h LC50 = 3,185 mg/l
Daphnia magna (Water flea)	- static test 48 h LC50= 494 mg/l
Ceriodaphnia dubia	- 48 h EC50= 33.53 mg/l

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As a nonhazardous liquid waste, it should be disposed of in accordance with local, state

and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

### DOT

UN number : 3266  
 Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.  
 : (Silicic acid, sodium salt)  
 Class : 8  
 Packing group : III  
 Labels : 8  
 Emergency Response : 154  
 Guidebook Number

### TDG

UN number : 3266  
 Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
 : (Silicic acid, sodium salt)  
 Class : 8  
 Packing group : III  
 Labels : 8

### IATA

UN number : 3266  
 Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.  
 : (Silicic acid, sodium salt)  
 Class : 8  
 Packing group : III  
 Labels : 8  
 Packing instruction (cargo aircraft) : 856  
 Packing instruction (passenger aircraft) : 852  
 Packing instruction (passenger aircraft) : Y841

### IMDG-CODE

UN number : 3266  
 Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
 : (Silicic acid, sodium salt)  
 Class : 8  
 Packing group : III  
 Labels : 8  
 EmS Number 1 : F-A  
 EmS Number 2 : S-B

Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d).

---

## SECTION 15. REGULATORY INFORMATION

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### **Massachusetts Right To Know**



No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Silicic acid, sodium salt 1344-09-8

**New Jersey Right To Know**

Silicic acid, sodium salt 1344-09-8

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

---

## SECTION 16. OTHER INFORMATION

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .