



# POWER BLUE SCALE OFF

## SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### Product identifier

Chemical Name	Mixture
Trade Names	Power Blue Scale Off
CAS No.	Mixture

#### Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Swimming Pool Maintenance
Uses Advised Against	None

#### Details of the supplier of the safety data sheet

Company Identification	Jack's Magic Products, Inc. 12435 73 <sup>rd</sup> Court Largo, FL 33773 United States of America
Telephone	(800) 348-1656 / (727) 536-4500
Fax	(727) 532-0250
E-Mail (competent person)	<a href="mailto:Regulatory@JacksMagic.com">Regulatory@JacksMagic.com</a>

#### Emergency telephone number

Emergency Phone No.	CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	---

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Skin Corr. 1C; Eye Dam. 1; Met. Corr. 1
-----------------------------	---

#### Label elements

Hazard Symbol(s)



Signal Word(s)

**DANGER**

Hazard Statement(s)

Causes severe skin burns and eye damage.

May be corrosive to metals.

Precautionary Statement(s)

Wash hands and exposed skin after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Take off contaminated clothing and wash before reuse.

Keep only in original container.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention. Wash contaminated clothing before reuse.

IF INHALED: Treat symptomatically.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate



# POWER BLUE SCALE OFF

**Other hazards**  
**Additional Information**

medical attention.  
None  
None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient(s)	*%W/W	CAS No.	Hazard Statement(s)
Urea hydrochloride	40 - 60	506-89-8	Skin Corr. 1C; H314 Eye Dam. 1; H318 Met. Corr. 1; H290
Proprietary Surfactant(s)	< 1	Trade Secret	Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335

**Additional Information** – None

\* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

## SECTION 4: FIRST AID MEASURES



### Description of first aid measures

Inhalation	Not normally required. Treat symptomatically.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention. Wash contaminated clothing before reuse.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Get immediate medical attention.
<b>Most important symptoms and effects, both acute and delayed</b>	Causes severe damage to eyes and skin.
<b>Indication of any immediate medical attention and special treatment needed</b>	None

## SECTION 5: FIRE-FIGHTING MEASURES

<b>Extinguishing Media</b>	
-Suitable Extinguishing Media	Non-combustible. As appropriate for surrounding fire.
-Unsuitable Extinguishing Media	None anticipated.
<b>Special hazards arising from the substance or mixture</b>	None anticipated.
<b>Advice for fire-fighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapours/spray.
--	--



# POWER BLUE SCALE OFF

**Environmental precautions**

Contain spillages with sand, earth or any suitable adsorbent material. Prevent entry into drains.

**Methods and material for containment and cleaning up**

Cover spills with inert absorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.

**Reference to other sections**

None

**Additional Information**

None

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling**

Avoid contact with skin, eyes or clothing. Wear protective gloves/protective clothing/eye protection/face protection.

**Conditions for safe storage, including any incompatibilities**

- Storage temperature
- Incompatible materials

Do not allow material to freeze.  
Substances that react with water. Strong bases.

**Specific end use(s)**

Swimming Pool Maintenance

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Occupational Exposure Limits**

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	-----

**Exposure controls****Appropriate engineering controls**

Not normally required.

**Personal protection equipment**

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Gloves (PVC, Neoprene, or Natural rubber). As needed: Acid resistant suit.



Respiratory protection

Not normally required.



Thermal hazards

Not normally required.

**Environmental Exposure Controls**

Do not allow to enter drains, sewers or watercourses.



# POWER BLUE SCALE OFF

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Liquid
Color	Amber
Odor	Not available
Odor Threshold (ppm)	Not available
pH (Value)	0.7
Melting Point/Freezing Point (°C)	~ 0 (~ 32 °F)
Boiling point/boiling range (°C)	~ 100 (~212 °F)
Flash Point (°C)	Non-combustible / Non-flammable
Evaporation Rate	Similar to Water
Flammability (solid, gas)	Not applicable
Explosive Limit Ranges	Not applicable
Vapour Pressure (mm Hg)	Similar to Water
Vapour Density (Air=1)	Similar to Water
Density (g/ml)	Not available
Specific Gravity	Not available
Solubility (Water)	Miscible
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Non-combustible / Non-flammable
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt) @ 40°C	Similar to Water
Explosive properties	Not explosive
Oxidizing properties	Not oxidising
<b>Other information</b>	Not available

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Will react with oxidizers
<b>Chemical stability</b>	Stable up to 110 °C / 230°F
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Incompatible materials. This material may be extremely hazardous in contact with chlorates or nitrates. This material is acidic. Contact with hypochloridites will liberate toxic gases. Contact with alkaline materials will generate heat.
<b>Incompatible materials</b>	Oxidizers
<b>Hazardous decomposition product(s)</b>	None anticipated.

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Skin Contact, Eye Contact

### Information on toxicological effects

Acute toxicity (calculated / estimated)	Oral: LD50 >2000 mg/kg-bw Dermal: LD50 >2000 mg/kg-bw
Irritation/Corrosivity	Causes severe skin burns and eye damage.
Sensitization	It is not a skin sensitizer.
Repeated dose toxicity	Not to be expected
Carcinogenicity	Not to be expected

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.



# POWER BLUE SCALE OFF

Mutagenicity  
Reproductive toxicity

Not to be expected  
Not to be expected

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

Short term (estimated / calculated)

LC50 (96 hour): > 100 mg/L(fish)  
EC50 (48 hour): > 100 mg/L (crustacea)  
EC50 (96 hour): > 100 mg/L (algae)

Long Term

No data

### Persistence and degradability

No data

### Bioaccumulative potential

The product has no potential for bioaccumulation.

### Mobility in soil

The product has low mobility in soil.

### Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

### Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

### Additional Information

None known.

## SECTION 14: TRANSPORT INFORMATION

### UN number

### Land transport (U.S. DOT) \*

UN 3265

### Proper Shipping Name

Corrosive liquid, acidic, organic, n.o.s. (contains: Urea hydrochloride)

### Transport hazard class(es)

8

### Packing group

III

### Environmental hazards

No

### Special precautions for user

None assigned

\* Refer to 49 CFR 173.154 for limited and consumer commodity exceptions.

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	-----	-----	-----

SARA 311/312 - Hazard Categories:

- Fire   
 Sudden Release   
 Reactivity   
 Immediate (acute)   
 Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	-----	----



# POWER BLUE SCALE OFF

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None	-----	-----	-----	-----

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
None	-----	-----	-----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: March 22, 2016

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H290: May be corrosive to metals.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.

Additional Information:

<b>HEALTH</b>	<input type="text" value="3"/>
<b>FLAMMABILITY</b>	<input type="text" value="0"/>
<b>PHYSICAL HAZARD</b>	<input type="text" value="1"/>
Personal Protection	

HMIS (Hazardous Material Information System)

NFPA (National Fire Protection Association)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Jack's Magic Products, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Jack's Magic Products, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.