

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:	1-800-654-6911 (OUTSIDE USA: 1-423-780-2970)
FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:	1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)
FOR ALL SDS QUESTIONS & REQUESTS, CALL:	1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **Ultima Power Wash Cell Cleaner**

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Advantis Technologies</b> 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America	REVISION DATE:	02/24/2016
	SUPERCEDES:	06/30/2015
	MSDS Number:	000000025326
	SYNONYMS:	none
	CHEMICAL FAMILY:	Not Applicable/Mixture
	DESCRIPTION / USE	Filter cleaner
	FORMULA:	None established

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Corrosive to metals	:	Category 1
Skin corrosion	:	Category 1A
Serious eye damage	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

### GHS label elements

Hazard pictograms	:	
-------------------	---	---

Signal word	:	Danger
-------------	---	--------

Hazard statements	:	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.
-------------------	---	--

Precautionary statements : **Prevention:**  
 P234 Keep only in original container.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P363 Wash contaminated clothing before reuse.  
 P390 Absorb spillage to prevent material damage.

**Storage:**  
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.  
 P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>CAS OR CHEMICAL NAME</u>	<u>CAS #</u>	<u>% RANGE</u>
HYDROCHLORIC ACID	7647-01-0	16 - 22
POLYETHER DIOL	9003-11-6	2 - 8
2,5-Furandione polymer with ethenylbenzene, sulfonated, sodium salt	68037-40-1	1 - 3

## SECTION 4. FIRST AID MEASURES

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

## SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or explosive.

### Flammable Properties

Flash Point:	Not applicable
Autoignition Temperature:	no data available
Fire / Explosion Hazards:	This material is not expected to burn unless all the water is boiled away. The remaining compounds may be ignitable. Reacts with most metals to form flammable hydrogen gas.
Extinguishing Media:	Not Applicable. - Choose extinguishing media suitable for surrounding materials.
Fire Fighting Instructions:	Response to this material requires the use of a full encapsulated suit and self-contained breathing apparatus (SCBA). Use water to cool containers.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Upper Flammable / Explosive Limit, % in air:	no data available no data available
Lower Flammable / Explosive Limit, % in air:	no data available no data available

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations: Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.

Spill Mitigation Procedures

Air Release:	Hazardous concentrations in air may be found in local spill area and immediately downwind. Vapors may be suppressed by use of water fog but will slowly release hydrochloric acid. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Water Release:	This material is soluble in water. Notify all downstream users of possible contamination. Divert water flow around spill if possible and safe to do so. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Land Release:	Create a dike or trench to contain materials. Absorb spill with inert material (e.g., dry sand, clay, earth or commercial absorbent), then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. Contain all liquid for treatment and/or disposal as a (potential) hazardous waste.
Additional Spill Information :	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

**SECTION 7. HANDLING AND STORAGE**

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Keep containers tightly closed when not in use.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.
--------------	--

Protective Equipment for Routine Use of Product

Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type :	A NIOSH approved full-face or half-face respirator in combination with chemical goggles. A NIOSH approved air purifying respirator equipped with combination acid-gas/organic vapor cartridge and P95 filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection :	Wear impervious gloves, boots and apron to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body.

Eye Protection: Use chemical goggles and a faceshield.  
 Protective Clothing Type: Impervious, butyl-rubber, Neoprene  
 General Protective Measures: An eye wash and safety shower should be provided in the immediate work area.

**Components with workplace control parameters**

Components (CAS-No.)	Value	Control parameters	Basis (Update)
HYDROCHLORIC ACID (7647-01-0)		2 ppm	ACGIH (02 2014)

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: liquid  
 Form: clear  
 Color: colourless  
 Odor: pungent  
 Molecular Weight: Not applicable/Mixture  
 Relative density: 1.095

pH : 1.6  
 ()

Boiling Point: no data available  
 Melting point/freezing point: no data available  
 Density: no data available

Vapor Pressure: no data available  
 Vapor Density: no data available  
 Viscosity: no data available  
 Fat Solubility: no data available  
 Solubility in Water: soluble  
 Partition coefficient n-octanol/water: no data available  
 Evaporation Rate: no data available  
 Oxidizing: no data available  
 Volatiles, % by vol.: no data available  
 VOC Content: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content: no data available

**SECTION 10. STABILITY AND REACTIVITY**

Stability and Reactivity Summary: Stable under normal conditions. Product will not undergo hazardous polymerization.

Conditions to Avoid: High temperatures

Chemical Incompatibility: Strong oxidizing agents, Bases, Metals, Formaldehyde

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide, Chlorine, Hydrogen chloride

Decomposition Temperature: no data available

## SECTION 11. TOXICOLOGICAL INFORMATION

### Component Animal Toxicology

#### Oral LD50 value:

HYDROCHLORIC ACID LD50 900 mg/kg Rabbit  
 POLYETHER DIOL LD50 > 5,000 mg/kg Rat

### Component Animal Toxicology

#### Dermal LD50 value:

HYDROCHLORIC ACID no data available  
 POLYETHER DIOL LD50 > 2,000 mg/kg Rabbit

### Component Animal Toxicology

#### Inhalation LC50 value:

HYDROCHLORIC ACID Inhalation LC50 1 h 3124 ppm Rat  
 POLYETHER DIOL Inhalation LC50 1 h > 200 mg/l Rat

### Product Animal Toxicity

Oral LD50 value: LD50 Believed to be approximately 4,700 mg/kg Rat

Dermal LD50 value: no data available

Inhalation LC50 value: LC50 1 h (aerosol) Believed to be > 24 mg/l Rat

Skin Irritation: This material is expected to be corrosive.  
Eye Irritation: This material is expected to be corrosive.  
Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract.

Subchronic / Chronic Toxicity: There are no known or reported effects from repeated exposure except those secondary to burns.

Reproductive and Developmental Toxicity: Not known or reported to cause reproductive or developmental toxicity.

POLYETHER DIOL Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Not known or reported to be mutagenic.

HYDROCHLORIC ACID This chemical has been shown to be non-mutagenic based on a battery of assays.

POLYETHER DIOL Not known or reported to be mutagenic.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

HYDROCHLORIC ACID The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.

POLYETHER DIOL This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

## SECTION 12. ECOLOGICAL INFORMATION

Overview: Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems., No data for product. Individual constituents are as follows:

### Ecological Toxicity Values for: HYDROCHLORIC ACID

Mosquito fish	-	96 h LC50 = 282 mg/l
Bluegill	-	48 h LC50 = 3.6 mg/l
Pimephales promelas (fathead minnow)	-	96 h LC50 = 21.9 mg/l
Common shrimp (Crangon crangon)	-	(nominal, renewal). 48 h LC50= 260 mg/l
Daphnia magna,	-	48 h EC50= 0.492 mg/l

### Ecological Toxicity Values for: POLYETHER DIOL

Fish - 96 h LC50 Believed to be > 100 mg/l based on available data and comparison to similar compounds.

## SECTION 13. DISPOSAL CONSIDERATIONS

**CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.**

Waste Disposal Summary : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.

Disposal Methods : As a hazardous solid waste, it must be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes : D002

## SECTION 14. TRANSPORT INFORMATION

### DOT

UN number : 1789  
 Description of the goods : Hydrochloric acid  
 Class : 8  
 Packing group : II  
 Labels : 8  
 Emergency Response : 157  
 Guidebook Number

### TDG

UN number : 1789  
 Description of the goods : HYDROCHLORIC ACID  
 Class : 8  
 Packing group : II  
 Labels : 8

### IATA

UN number : 1789  
 Description of the goods : Hydrochloric acid  
 Class : 8  
 Packing group : II  
 Labels : 8  
 Packing instruction (cargo aircraft) : 855  
 Packing instruction (passenger aircraft) : 851  
 Packing instruction (passenger aircraft) : Y840

### IMDG-CODE

UN number : 1789  
 Description of the goods : HYDROCHLORIC ACID  
 Class : 8  
 Packing group : II  
 Labels : 8  
 EmS Number 1 : F-A  
 EmS Number 2 : S-B

Marine pollutant : yes



## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrochloric acid	7647-01-0	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrochloric acid	7647-01-0	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 302

The following components are subject to reporting levels established by SARA Title III, Section 302:

hydrochloric acid 7647-01-0

#### SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

hydrochloric acid 7647-01-0

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydrochloric acid 7647-01-0

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

hydrochloric acid 7647-01-0

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

hydrochloric acid 7647-01-0

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

hydrochloric acid 7647-01-0

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### US State Regulations

#### Massachusetts Right To Know

hydrochloric acid 7647-01-0

#### Pennsylvania Right To Know

hydrochloric acid 7647-01-0  
poly(ethylene propylene) glycol 9003-11-6

#### New Jersey Right To Know

hydrochloric acid 7647-01-0  
poly(ethylene propylene) glycol 9003-11-6  
2,5-Furandione polymer with ethenylbenzene, sulfonated, sodium salt 68037-40-1

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

---

## SECTION 16. OTHER INFORMATION

Major References : Available upon request.

## SAFETY DATA SHEET

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .